DOW CORNING(R) OS-20



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2015

 1.3
 11/03/2015
 705238-00004
 Date of first issue: 11/03/2014

SECTION 1. IDENTIFICATION

Product name : DOW CORNING(R) OS-20

Product code : 00000000002341522

Manufacturer or supplier's details

Company name of supplier : Dow Corning Corporation

Address : South Saginaw Road

Midland Michigan 48686

Telephone : (989) 496-6000

Emergency telephone : 24 Hour Emergency Telephone : (989) 496-5900

CHEMTREC: (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Cleaning/washing agents and additives

Solvent

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.

Precautionary Statements : **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equip-

ment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

Storage:

DOW CORNING(R) OS-20



Version Revision Date: SDS Number: Date of last issue: 10/15/2015
1.3 11/03/2015 705238-00004 Date of first issue: 11/03/2014

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Vapors may form explosive mixture with air. Static-accumulating flammable liquid.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Octamethyltrisiloxane

CAS-No. : 107-51-7

Chemical nature : Methyl Siloxane

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)	
Octamethyltrisiloxane	107-51-7	>= 90 - <= 100	

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

: None known.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

DOW CORNING(R) OS-20

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2015

 1.3
 11/03/2015
 705238-00004
 Date of first issue: 11/03/2014

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Do not use a solid water stream as it may scatter and spread

fire

Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Fire burns more vigorously than would be expected.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

 Carbon oxides Silicon oxides Formaldehyde

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment :

for fire-fighters

: Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Remove all sources of ignition.

Follow safe handling advice and personal protective equip-

ment recommendations.

Environmental precautions : Discha

Discharge into the environment must be avoided.
 Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used. Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Dispose of saturated absorbent or cleaning materials appro-

priately, since spontaneous heating may occur.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

DOW CORNING(R) OS-20

Version Revision Date: SDS Number: Date of last issue: 10/15/2015 1.3 11/03/2015 705238-00004 Date of first issue: 11/03/2014

employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Ensure all equipment is electrically grounded before beginning

transfer operations.

This material can accumulate static charge due to its inherent physical properties and can therefore cause an electrical ignition source to vapors. In order to prevent a fire hazard, as bonding and grounding may be insufficient to remove static electricity, it is necessary to provide an inert gas purge before

beginning transfer operations.

Restrict flow velocity in order to reduce the accumulation of

static electricity.

Local/Total ventilation : Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust

ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice.

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

DOW CORNING(R) OS-20

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2015

 1.3
 11/03/2015
 705238-00004
 Date of first issue: 11/03/2014

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Octamethyltrisiloxane	107-51-7	TWA	200 ppm	DCC OEL

Engineering measures : Processing may form hazardous compounds (see section

10).

Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust

ventilation.

Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Antistatic gloves

Material : Flame retardant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Wash hands

before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment: Flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may re-

quire added precautions.

For further information regarding the use of silicones / organ-





Version 1.3

Revision Date: 11/03/2015

SDS Number: 705238-00004

Date of last issue: 10/15/2015 Date of first issue: 11/03/2014

ic oils in consumer aerosol applications, please refer to the guidance document regarding the use of these type of materials in consumer aerosol applications that has been developed by the silicone industry (www.SEHSC.com) or contact the Dow Corning customer service group.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : slight

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : -82 °C

Initial boiling point and boiling

range

: 152.6 °C

Flash point : 34.4 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : 13.8 %(V)

Lower explosion limit : 0.9 %(V)

Vapor pressure : 4.54 hPa

Relative vapor density : 1.04

Relative density : 0.816

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : 350 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 1.0 cSt

DOW CORNING(R) OS-20



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2015

 1.3
 11/03/2015
 705238-00004
 Date of first issue: 11/03/2014

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Flammable liquid and vapor.

Vapors may form explosive mixture with air.

Use at elevated temperatures may form highly hazardous

compounds.

Can react with strong oxidizing agents.

Hazardous decomposition products will be formed at elevated

temperatures.

Conditions to avoid : Handling operations that can promote accumulation of static

charges.

Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products

Thermal decomposition : Formaldehyde

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on test data

Acute inhalation toxicity : LC50 (Rat): > 2350 ppm

Exposure time: 4 h
Test atmosphere: vapor

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on test data

DOW CORNING(R) OS-20

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2015

 1.3
 11/03/2015
 705238-00004
 Date of first issue: 11/03/2014

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on test data

Ingredients:

Octamethyltrisiloxane:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on test data

Acute inhalation toxicity : LC50 (Rat): > 2350 ppm

Exposure time: 4 h
Test atmosphere: vapor

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on test data

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on test data

Skin corrosion/irritation

Not classified based on available information.

Product:

Species: Rabbit

Result: No skin irritation Remarks: Based on test data

Ingredients:

Octamethyltrisiloxane:

Species: Rabbit

Result: No skin irritation Remarks: Based on test data

Serious eye damage/eye irritation

Not classified based on available information.

Ingredients:

Octamethyltrisiloxane:

Result: No eye irritation

Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:



DOW CORNING(R) OS-20

Version Revision Date: SDS Number: Date of last issue: 10/15/2015 1.3 11/03/2015 705238-00004 Date of first issue: 11/03/2014

Assessment: Does not cause skin sensitization.

Test Type: Human repeat insult patch test (HRIPT)

Species: Humans

Remarks: Based on test data

Ingredients:

Octamethyltrisiloxane:

Assessment: Does not cause skin sensitization.

Test Type: Human repeat insult patch test (HRIPT)

Species: Humans

Remarks: Based on test data

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on test data

: Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on test data

Ingredients:

Octamethyltrisiloxane:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on test data

: Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on test data

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

DOW CORNING(R) OS-20

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2015

 1.3
 11/03/2015
 705238-00004
 Date of first issue: 11/03/2014

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: inhalation (vapor) Symptoms: No effects on fertility. Remarks: Based on test data

Test Type: Uterotrophic assay

Species: Rat, female

Application Route: inhalation (vapor)

Result: negative

Remarks: Based on test data

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: inhalation (vapor) Symptoms: No effects on fetal development.

Remarks: Based on test data

Reproductive toxicity - As-

sessment

: No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

Ingredients:

Octamethyltrisiloxane:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: inhalation (vapor) Symptoms: No effects on fertility. Remarks: Based on test data

Test Type: Uterotrophic assay

Species: Rat, female

Application Route: inhalation (vapor)

Result: negative

Remarks: Based on test data

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat, male and female Application Route: inhalation (vapor) Symptoms: No effects on fetal development.

Remarks: Based on test data

Reproductive toxicity - As-

sessment

: No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

DOW CORNING(R) OS-20

Date of last issue: 10/15/2015 Version Revision Date: SDS Number: Date of first issue: 11/03/2014 1.3 11/03/2015 705238-00004

STOT-repeated exposure

Not classified based on available information.

Product:

Routes of exposure: inhalation (vapor)

Assessment: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or

less.

Ingredients:

Octamethyltrisiloxane:

Routes of exposure: Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg

bw or less.

Routes of exposure: inhalation (vapor)

Assessment: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or

less.

Repeated dose toxicity

Product:

Species: Rat

Application Route: inhalation (vapor)

Remarks: Based on test data

Ingredients:

Octamethyltrisiloxane:

Species: Rat

Application Route: Ingestion Remarks: Based on test data

Species: Rat

Application Route: inhalation (vapor)

Remarks: Based on test data

Aspiration toxicity

Not classified based on available information.

Further information

Ingredients:

Octamethyltrisiloxane:

Remarks: This material contains octamethyltrisiloxane (L3). Repeated inhalation exposure in rats to L3 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

DOW CORNING(R) OS-20

Version Revision Date: SDS Number: Date of last issue: 10/15/2015 1.3 11/03/2015 705238-00004 Date of first issue: 11/03/2014

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Octamethyltrisiloxane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.019 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203 Remarks: Based on test data No toxicity at the limit of solubility.

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 0.020 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility.

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): >

0.0094 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.027 mg/l

Method: OECD Test Guideline 210 Remarks: Based on test data No toxicity at the limit of solubility.

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia sp.): > 0.15 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility.

Ecotoxicology Assessment

Acute aquatic toxicity

: This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Ingredients:

Octamethyltrisiloxane:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 %

Method: OECD Test Guideline 310

Stability in water : Degradation half life: 329 h pH: 7

Method: OECD Test Guideline 111 Remarks: Based on test data

Bioaccumulative potential

Ingredients:

DOW CORNING(R) OS-20

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2015

 1.3
 11/03/2015
 705238-00004
 Date of first issue: 11/03/2014

Octamethyltrisiloxane:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)

Bioconcentration factor (BCF): >= 500 Method: OECD Test Guideline 305 Remarks: Biomagnification factor <1

Partition coefficient: n-

octanol/water

: log Pow: >= 4

Remarks: Based on test data

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Resource Conservation and

Recovery Act (RCRA)

: When a decision is made to discard this material as supplied,

it is classified as a RCRA hazardous waste.

Waste Code : D001: Ignitability

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Do not burn, or use a cutting torch on, the empty drum. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Octamethyltrisiloxane)

Class : 3
Packing group : III
Labels : 3

IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.

(Octamethyltrisiloxane)

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo

aircraft)

13 / 17

366

DOW CORNING(R) OS-20

Version Revision Date: SDS Number: Date of last issue: 10/15/2015 1.3 11/03/2015 705238-00004 Date of first issue: 11/03/2014

Packing instruction (passen- : 355

ger aircraft)

IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Octamethyltrisiloxane)

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 1993

Proper shipping name : FLAMMABLE LIQUIDS, N.O.S.

(Octamethyltrisiloxane)

Class : 3 Packing group : III

Labels : FLAMMABLE LIQUID

ERG Code : 128 Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting re-

quirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Octamethyltrisiloxane 107-51-7 90 - 100 %

New Jersey Right To Know

DOW CORNING(R) OS-20

Version Revision Date: SDS Number: Date of last issue: 10/15/2015 705238-00004 Date of first issue: 11/03/2014 1.3 11/03/2015

> Octamethyltrisiloxane 107-51-7 90 - 100 %

California Prop. 65 This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other repro-

ductive defects.

The ingredients of this product are reported in the following inventories:

KECI : All ingredients listed, exempt or notified.

RFACH : All ingredients (pre-)registered or exempt.

TSCA : All chemical substances in this material are included on or

exempted from listing on the TSCA Inventory of Chemical

Substances.

AICS : All ingredients listed or exempt.

IECSC : All ingredients listed or exempt.

PICCS : All ingredients listed or exempt.

DSL : All chemical substances in this product comply with the CEPA

1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL).

: All components are listed on ENCS/ISHL or exempted from **ENCS/ISHL**

inventory listing.


NZIoC : All ingredients listed or exempt.

TCSI : All ingredients listed or exempt.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Full text of other abbreviations

DOW CORNING(R) OS-20

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2015

 1.3
 11/03/2015
 705238-00004
 Date of first issue: 11/03/2014

DCC OEL : Dow Corning Guide
DCC OEL / TWA : Time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR -No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

compile the Material Safet Data Sheet

cy, http://echa.europa.eu/

Dala Sileet

Revision Date : 11/03/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

: Internal technical data, data from raw material SDSs, OECD

eChem Portal search results and European Chemicals Agen-

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, in-

DOW CORNING(R) OS-20



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/15/2015

 1.3
 11/03/2015
 705238-00004
 Date of first issue: 11/03/2014

cluding an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8