

PARKS CORPORATION -- PARKS PAINT THINNER -- 8010-00F001904

=====

MSDS Safety Information

=====

FSC: 8010
MSDS Date: 08/24/1988
MSDS Num: BTHYH
LIIN: 00F001904
Tech Review: 05/24/1994
Product ID: PARKS PAINT THINNER
Responsible Party
Cage: 6L244
Name: PARKS CORPORATION
Box: 5
City: SOMERSET MA 02726 US
Info Phone Number: 508-679-5938
Emergency Phone Number: 508-679-5938

=====

Contractor Summary

=====

Cage: 6L244
Name: PARKS CORPORATION
Box: 5
City: SOMERSET MA 02726 US
Phone: 508-679-5938

=====

Ingredients

=====

Cas: 8052-41-3
RTECS #: WJ8925000
Name: STODDARD SOLVENT
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 500 PPM
ACGIH TLV: 100 PPM; 9394
Ozone Depleting Chemical: N

=====

Health Hazards Data

=====

LD50 LC50 Mixture: TLV 100 PPM (TWA)
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.
PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN REDNESS, BURNING,
DRYING
AND CRACKING. BREATHING HIGH CONCENTRATIONS MAY CAUSE IRRITATION OF
NOSE
AND TH ROAT, CNS DEPRESSION. INGESTION MAY CAUSE DIGESTIVE TRACT
IRRITATION AND CNS DEPRESSION. CHRONIC: BRAIN AND CNS DAMAGE.
Explanation Of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS
AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Signs And Symptions Of Overexposure: EYE IRRITATION, SKIN

IRRITATION/CRACKING/BURNING/REDNESS, NOSE IRRITATION, THROAT IRRITATION,
DROWSINESS, DIZZINESS, LOSS OF COORDINATION, FATIGUE, IRRITATION OF THE

DIGESTIVE TRACT, ASPIRATION HAZARD .
Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS AND LUNG DISORDER (EG ASTHMA-LIKE CONDITIONS) MAY BE AGGRAVATED BY EXPOSURE TO THIS MATERIAL.

First Aid: INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM

AND QUIET. GET MEDICAL ATTENTION. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. SEEK MEDICAL HELP IMMEDIATELY.

=====
Handling and Disposal
=====

Spill Release Procedures: FLUSH WITH WATER TO REATINING AREA OR CONTAINER.

AVOID EXPOSURE TO SPARKS, FIRE OR HOT METAL SURFACES. SMALL AMOUNTS MAY

BE ABSORBED INTO AN APPROPRIATE ABSORBENT. PREVENT RUNOFF TO STREAMS, SEWERS, O R OTHER BODIES OF WATER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER

IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME. USE WITH ADEQUATE VENTILATION. KEEP CONTAINER CLOSED.

PERSONNEL

SHOULD AVOID INHALATION OF VAPORS.

Other Precautions: PERSONAL CONTACT WITH PRODUCT SHOULD BE AVOIDED. SHOULD

CONTACT BE MADE, REMOVE SATURATED CLOTHING AND FLUSH AFFECTED AREA WITH WATER.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: 101F,38C

Lower Limits: 0.7 %

Upper Limits: 6.0 %

Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, UNIVERSAL TYPE FOAM

Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &

FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY

TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard: AVOID SPREADING BURNING WITH WATER USED FOR

COOLING PURPOSES. THIS MATERIAL IS COMBUSTIBLE AND MAY BE IGNITED BY HEAT OR FLAME.

=====
Control Measures

=====

Respiratory Protection: SELF-CONTAINED BREATHING APPARATUS FOR
CONCENTRATIONS ABOVE TLV LIMITS.

Ventilation: ADEQUATE VENTILATION REQUIRED. MECHANICAL AND LOCAL
EXHAUST

RECOMMENDED.

Protective Gloves: IMPERMEABLE

Eye Protection: SAFETY GOGGLES

Other Protective Equipment: SOURCE OF CLEAN WATER SHOULD BE AVAILABLE
IN

WORK AREA FOR FLUSHING EYES AND SKIN. IMPERVIOUS CLOTHING AS NEEDED.
Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING
PRODUCT

AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====

Physical/Chemical Properties

=====

HCC: F4

B.P. Text: 310F,154C

M.P/F.P Text: NOT GIVEN

Vapor Pres: 3.1

Vapor Density: 4.9

Spec Gravity: 0.789

Solubility in Water: NEGLIGIBLE

Appearance and Odor: WATER WHITE CLEAR LIQUID, HYDROCARBON TYPE ODOR

Percent Volatiles by Volume: 100 %

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: HEAT, SPARKS, FIRE, OPEN FLAMES

Materials To Avoid: STRONG OXIDIZING AGENTS, STORNG ACIDS OR BASES AND
SELECTED AMINES.

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY YIELD
CARBON

MONOXIDE AND/OR CARBON DIOXIDE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

Transportation Information

=====

Responsible Party Cage: 6L244
Trans ID NO: 8463
Product ID: PARKS PAINT THINNER
MSDS Prepared Date: 08/24/1988
Review Date: 05/24/1994
Article W/O MSDS: N
Tech Entry NOS Shipping Nm: CONTAINS STODDARD SOLVENT
Multiple KIT Number: 0
Unit Of Issue: NK

=====

Detail DOT Information

=====

DOT PSN Code: GJL
Symbols: G
DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
Hazard Class: 3
UN ID Num: UN1993
DOT Packaging Group: III
Label: FLAMMABLE LIQUID
Special Provision: B1,B52,T7,T30
Packaging Exception: 150
Non Bulk Pack: 203
Bulk Pack: 242
Max Qty Pass: 60 L
Max Qty Cargo: 220 L
Vessel Stow Req: A

=====

Detail IMO Information

=====

IMO PSN Code: HIA
IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o
IMDG Page Number: 3345
UN Number: 1993
UN Hazard Class: 3.3
IMO Packaging Group: III
Subsidiary Risk Label: -
EMS Number: 3-07
MED First Aid Guide NUM: T

=====

Detail IATA Information

=====

IATA UN ID Num: 1993
IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. *
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: III
Packing Note Passenger: 309
Max Quant Pass: 60L
Max Quant Cargo: 220L
Packaging Note Cargo: 310

=====

Detail AFI Information

=====

AFI Symbols: *
AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
AFI Hazard Class: 3
AFI UN ID NUM: UN1993

AFI Packing Group: III
Special Provisions: P5
Back Pack Reference: A7.3

=====

HAZCOM Label

=====

Product ID: PARKS PAINT THINNER
Cage: 6L244
Company Name: PARKS CORPORATION
PO Box: 5
City: SOMERSET MA
Zipcode: 02726 US
Health Emergency Phone: 508-679-5938
Date Of Label Review: 05/24/1994
MFG Label NO: NONE
Label Date: 05/24/1994
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: WARNING
Respiratory Protection IND: YES
Health Hazard: Moderate
Contact Hazard: Moderate
Fire Hazard: Moderate
Reactivity Hazard: Slight
Hazard And Precautions: CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN REDNESS, BURNING, DRYING AND CRACKING. BREATHING HIGH CONCENTRATIONS MAY CAUSE IRRITATION OF NOSE AND TH ROAT, CNS DEPRESSION. INGESTION MAY CAUSE DIGESTIVE TRACT IRRITATION AND CNS DEPRESSION. CHRONIC: BRAIN AND CNS DAMAGE. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME. USE WITH ADEQUATE VENTILATION. KEEP CONTAINER CLOSED. PERSONNEL SHOULD AVOID INHALATION OF VAPORS. FIRST AID: INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM AND QUIET. GET MEDICAL ATTENTION. SKIN: WASH AFFECTED AREA THO ROUGHLY WITH SOAP AND WATER. IF IRRITATION PERSIST

=====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should

seek competent professional advice to verify and assume
responsibility

for the suitability of this information to their particular situation
regardless of similarity to a corresponding Department of Defense or
other government situation.