

Version 2.0

Revision Date 09/24/2015

Print Date 06/15/2016

ZepInc

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07699 ZC FMG GLS ZUFGC19A 20N19 STK
Material number	:	0000000001046502
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers			
For SDS Information	:	Compliance Services 1-877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616	

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	pleasant

GHS Classification	
Gases under pressure	: Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	 Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.
Potential Health Effects	

Potential Health Effects

Carcinogenicity:



Version 2.0	Revision Date 09/24/2015	Print Date 06/15/2016
IARC	No component of this product present equal to 0.1% is identified as probable	
ACGIH	human carcinogen by IARC. Confirmed animal carcinogen with unk humans	nown relevance to
OSHA	2-butoxyethanol No component of this product present equal to 0.1% is identified as a carcing	
NTP	carcinogen by OSHA. No component of this product present equal to 0.1% is identified as a known by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 1 - < 5
butane	106-97-8	>= 1 - < 5
propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	:	Do not leave the victim unattended. Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
lf inhaled	:	If unconscious place in recovery position and seek medical advice. Consult a physician after significant exposure.
In case of skin contact	:	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minutes.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.



Version 2.0

Revision Date 09/24/2015

Print Date 06/15/2016

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Water spray j Alcohol-resist Carbon dioxic Dry chemical	ant foam
Unsuitable extinguishing media	High volume	water jet
Specific hazards during firefighting	Do not allow courses.	run-off from fire fighting to enter drains or water
Hazardous combustion products Specific extinguishing methods	•	
Further information	Standard pro Collect contain must not be c Fire residues be disposed of For safety reaseparately in	cedure for chemical fires. minated fire extinguishing water separately. This discharged into drains. and contaminated fire extinguishing water must of in accordance with local regulations. asons in case of fire, cans should be stored closed containments. spray to cool fully closed containers.
Special protective equipment for firefighters	Wear self-cor necessary.	ntained breathing apparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE



Version 2.0	Revision Date 09/24/2015	Print Date 06/15/2016
Advice on safe handling	 Avoid exposure - obtain special Avoid contact with skin and eye For personal protection see see Smoking, eating and drinking si application area. Do not breathe vapours or spra Take precautionary measures a Provide sufficient air exchange Dispose of rinse water in accord regulations. Always replace cap after use. 	es. ction 8. hould be prohibited in the ay mist. against static discharges. and/or exhaust in work rooms.
Conditions for safe storage	 BEWARE: Aerosol is pressurize exposure and temperatures over or throw into fire even after use red-hot objects. Keep container tightly closed in place. Observe label precautions. Electrical installations / working the technological safety standard Keep in a dry, cool and well-ven 	er 50 °C. Do not open by force b. Do not spray on flames or a dry and well-ventilated materials must comply with rds.
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0



Version 2.0Revision Date 09/24/2015Print Date 06/15/2016

2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm	NIOSH REL
			24 mg/m3	
		TWA	50 ppm	OSHA Z-1
			240 mg/m3	
		TWA	25 ppm	OSHA P0
			120 mg/m3	

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH BEI
				shift at		
				end of		
				workwee		
				k		

Personal protective equipment		
Respiratory protection	Use respiratory protection unless adequate local exhan- ventilation is provided or exposure assessment demon that exposures are within recommended exposure guid	strates
Hand protection		
Remarks	The suitability for a specific workplace should be discu with the producers of the protective gloves.	ssed
Eye protection	Ensure that eyewash stations and safety showers are the workstation location. Safety glasses	close to
Skin and body protection	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work	place.
Hygiene measures	Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke. When using do not smoke.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied	gas
Colour	: colourless	
Odour	: pleasant	
Odour Threshold	: No data available	
рН	: 10 - 11	
Melting point/freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	



ersion 2.0	Revision Date 09/24/2015	Print Date 06/15/2016
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.986 g/cm3	
Solubility(ies)		
Water solubility	: soluble in cold water, soluble in h	ot water
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
ethanol:	
Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg

SAFETY DATA SHEET



A07699 ZC FMG GLS ZUFGC19A 20N19 STK

Version 2.0

Revision Date 09/24/2015

Print Date 06/15/2016

Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h
butane:	
Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h
	LC50 Rat: 1,355 mg/l
propan-2-ol:	
Acute oral toxicity	: LD50 Oral Rat: 4,396 mg/kg Method: Calculation method

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

ethanol: butane: propan-2-ol:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SAFETY DATA SHEET

A07699 ZC FMG GLS ZUFGC19A 20N19 STK

Version 2.0

Revision Date 09/24/2015



Print Date 06/15/2016

SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

<u></u>	
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: No data available
Partition coefficient: n- octanol/water	: Pow: 2.89
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.



Version 2.0

Revision Date 09/24/2015

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	•	Calculated product RQ
		(lbs)	(lbs)
2,2'-iminodiethanol	111-42-2	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Sudden Release of Pressure Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65 2,2'-iminod	WARNING! This product contains a chemical known to the State of California to cause cancer. iethanol 111-42-2
The components of this p	roduct are reported in the following inventories:
DSL Thi	TSCA Inventory s product contains one or several components that are not on the nadian DSL nor NDSL.

DOL	This product contains one of several components that are not
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIOC	Not in compliance with the inventory
INZIUC	Not in compliance with the inventory



Version 2.0

Revision Date 09/24/2015

Print Date 06/15/2016


PICCSNot in compliance with the inventoryIECSCNot in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



OSHA GHS Label Information:



Storage: Protect from sunlight. Store in a well-ventilated place. **Disposal:** Dispose of contents/ container to an approved w aste disposal plant.

1	Version:	2.0
ł	Revision Date:	09/24/2015
ł	Print Date:	06/15/2016

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next



Version 2.0

Revision Date 09/24/2015

Print Date 06/15/2016

Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®], Konk[®], Original Bike Spirits[®], Blue Coral[®], Black Magic[®], Rain-X[®], Niagara National[™], FC Forward Chemicals[®], Rexodan[®], Mykal[™], and a number of private labeled brands.