

SAFETY DATA SHEET

May be used to comply with OSHA Hazcom 29 CFR 1910.1200. Standards must be consulted for specific requirements.

Revision Date: 2018-12-06

1. IDENTIFICATION

Product Name: Statguard® Floor Neutralizer

Identified use: Floor Neutralizer

Company Identification: DESCO
One Colgate Way
Canton, MA 02021
UNITED STATES
+1 781-821-8370

Email Address: Service@DescoIndustries.com

Emergency telephone number

United States: +1 781-821-8370

Office hours: 8:00 AM - 5:00 PM

2. HAZARDS IDENTIFICATION

Hazard classification

This material is hazardous under the criteria of the Federal OSHA Hazcom 29 CFR 1910.1200.

Skin Corrosion/Irritation Category 2

Serious Eye Damage Category 2

Label elements

Hazard pictograms/Symbols:



Signal word: Warning

Hazard statements: Causes skin irritation.
Causes serious eye damage.

Precautionary statements: **Prevention**
Wash skin thoroughly after handling.
Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

IF ON SKIN: wash with plenty of soap and water.

IF SKIN irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF eye irritation persists: Get medical advice/attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

Components	CAS No.	Concentration
Acetic Acid	64-19-7	1 - 5%

4. FIRST AID MEASURES

Description of first aid measures

General advice:	First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Inhalation:	Remove person to fresh air. If you feel unwell, get medical attention.
Skin Contact	In case of contact, immediately flush with plenty of water. If irritation occurs and persists, get medical attention.
Eye Contact:	Immediately flush eyes with water; remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist. Suitable emergency eye wash facility should be immediately available.
Ingestion	Rinse mouth. If you feel unwell, get medical attention.

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media	The product is non-combustible. Dry chemical, CO ₂ , water spray or regular foam
Unsuitable Extinguishing Methods	None known

Special hazards arising from the substance or mixture

Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds.

Unusual Fire and Explosion Hazards: None known.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Contain fire water run-off if possible.

Special protective equipment for firefighters: Wear self-contained breathing apparatus and protective suit. If protective equipment is not available or not used, fight fire from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep people away from and upwind of spill/leak. Material can create slippery conditions.

Environmental precautions

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Methods and materials for containment and cleaning up

Spill: Mop up spills immediately. Wet floor may present slip hazard.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed. Do not breathe vapors, mist or gas.

Conditions for safe storage, including any incompatibilities

Keep from freezing - product stability may be affected. For commercial and industrial use only.

Storage stability

Storage temperature: 1°C - 49°C (34°F - 120°F)

See SECTION 8, for types of ventilation required.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Components	CAS No.	Regulation	Type of listing	Value/Notation
Acetic Acid	64-19-7	ACGIH ACGIH OSHA Z-1	TWA STEL TWA	10 ppm 15 ppm 10 ppm (25 mg/m3)

Exposure controls

Technical Control: Use local exhaust, or other technology solutions to keep air levels below given or recommended limit values. If limit values are not present, good general ventilation should be sufficient. Local exhaustion may be required in some operations.

Individual protection measures

Eye/Face Protection

Use chemical safety goggles.

Skin Protection

No precautions other than clean body covering clothing should be needed.

Hand Protection

Chemical protective gloves is not needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

In case of using gloves, use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene. Nitrile/ butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Avoid gloves made of: Polyvinyl alcohol ("PVA").

Respiratory Protection

Respiratory protection should be worn as there is a risk of exposure above given or recommended Occupational Exposure Limits. If such limit values are not present, respiratory protection will cause effects such as respiratory irritation or discomfort, or when risk assessment indicates that this is required. Under most conditions, no respiratory protection should be required; If discomfort is experienced, use an approved respiratory protective device.

Hygiene measures

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:	Liquid
Color:	Light Blue / Translucent
Odor:	Not Applicable
Odor Threshold:	Not Applicable
pH:	3.0 - 4.0
Melting Point:	No data available
Boiling Point:	>200°F (93.3°C)
Flash Point:	No data available
Evaporation rate:	> 0.3
Flammability:	Non-flammable
Upper flammability or explosive limits:	No data available
Lower flammability or explosive limits:	No data available
Vapor Pressure (mm Hg):	No data available
Vapor Density (air=1):	No data available
Relative Density:	8.4 lbs/gal
Specific Gravity (H ₂ O = 1)	1.01
Solubility:	Complete
Partition coefficient:	No data available

DESCO INDUSTRIES INC - 3651 Walnut Avenue, Chino, CA 91710 • (909) 627-8178 • Website: DescolIndustries.com

Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

10. STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical stability: Stable product at normal conditions.

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Temperatures above 100°F (38°C) and below 34°F (1°C)

Incompatible materials: Strong oxidizing agents. Strong acids.

Hazardous decomposition products: Thermal decomposition may yield carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity

Acute oral toxicity	Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. Based on information for component(s): LD50, Body weight, > 5,000 mg/kg Estimated.
Acute dermal toxicity	Prolonged skin contact is unlikely to result in absorption of harmful amounts. Based on information for component(s): LD50, Rabbit, > 5,000 mg/kg Estimated.
Acute inhalation toxicity	With good ventilation, single exposure is not likely to be hazardous. In poorly ventilated areas, vapors or mists may accumulate and cause respiratory irritation. (Vapor) > 50 mg/l, 4 h

Skin corrosion/irritation

Brief contact may cause skin irritation with local redness.

Serious eye damage/eye irritation

May cause eye irritation. May cause corneal injury.

Sensitization

For respiratory sensitization: No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

No relevant data found.

Carcinogenicity

No relevant data found.

Teratogenicity

No relevant data found.

Reproductive toxicity

No relevant data found.

Mutagenicity

No relevant data found.

Aspiration Hazard

No relevant data found.

COMPONENTS INFLUENCING TOXICOLOGY:

Acetic Acid

Acute oral toxicity

LD50, Rat, > 3,000 mg/kg

Acute dermal toxicity

LD50, Rabbit, 1.060 mg/kg

Acute inhalation toxicity

LC50, Rat, 4 hour, vapour, 1.4 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

Toxicity

Acetic Acid

Acute toxicity to fish

Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

May decrease pH of aquatic systems to < pH 5 which may be toxic to aquatic organisms.

LC50, Lepomis macrochirus (Bluegill sunfish), Static, 96 Hour, 75 mg/l

Acute toxicity to aquatic invertebrates

LC50, Daphnia magna (Water flea), static test, 24 Hour, 47 - 52.9 mg/l, Method Not Specified.

Acute toxicity to algae/aquatic plants

ErC50, blue-green alga Anabaena flos-aquae, Static, 72 Hour, Growth rate, 55.22 mg/l, OECD Test Guideline 201

Toxicity to bacteria

NOEC, Pseudomonas putida, Static, 16 Hour, 1,150 mg/l

Persistence and degradability

Acetic Acid

Biodegradability: Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s) for inherent biodegradability).

Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).

10-day Window: Not applicable

Biodegradation: 95 %

Exposure time: 5 d

Method: OECD Test Guideline 302B

Theoretical Oxygen Demand: 1.06 mg/mg

Photodegradation

Test type: Half-life (indirect photolysis)

Sensitization: OH radicals

Atmospheric half-life: 17.196 d

Method: Estimated.

Bioaccumulative potential

Acetic Acid

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): -0.17 Measured

Bioconcentration factor (BCF): 3 Fish Estimated.

Mobility in soil

Acetic Acid

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): < 1 Estimated.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Product Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residual materials additional evaluations may be required. Do not dump into any sewers, on the ground, or into any body of water.

14. TRANSPORT INFORMATION

DOT (Department of Transportation) Not regulated for transport
Classification for SEA transport (IMO-IMDG) Not regulated for transport
Consult IMO regulations before transporting ocean bulk.
Classification for AIR transport (IATA/ICAO) Not regulated for transport

15. REGULATORY INFORMATION

Superfund Amendment and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986)

Section 302 and 303 No chemicals in this product are subject to the reporting requirements of Section 302.
Section 304 This product does not contain any components with a section 304 Reportable Quantity (RQ).
Section 311 and 312 Skin corrosion or irritation
Serious eye damage or eye irritation
Section 313 This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Proposition 65

This product contains a chemical that is at or below California Proposition 65's "safe harbor level" as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on SDS or label.

United States TSCA Inventory (TSCA)

All components of this product are in compliance with the inventory listing requirements of the US Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

16. OTHER INFORMATION

HMIS RATING Health 1, Flammability 0, Reactivity 0, Personal Protection B
NFPA RATING Special Hazard: N/A, Health: 1, Flammability: 0, Instability: 0
SDS Updated **2018-12-06**

Legend

US WEELS	USA Workplace Environmental Exposure Levels
TWA	Time Weighted Average

Disclaimer

OTHER INFORMATION: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.