

According to 1907/2006/EC, Article 31

Printing Date 02/07/2017

Version number 1

Reviewed on 02/07/2017

**1 PRODUCT AND COMPANY IDENTIFICATION** 

Trade name: <u>275 Lead-free Alloy Solder Wire</u> Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Kester Inc. 800 West Thorndale Avenue Itasca, IL 60143 USA Tel (630) 616-4000 Tel International 00 1 630 616-4000

ITW Specialty Materials (Suzhou) Co., Ltd. Heng Qiao Road Wujiang Economic Development Zone Suzhou, Jiangsu 215200 China Tel +86 512 82060808

Kester GmbH Ganghofer Strasse 45 D-82216 Gernlinden Germany Tel +49 (0) 8142 4785 0

Information department: Product Compliance: EHS\_Kester@kester.com 1.4 Emergency telephone number: CHEMTREC 24-Hour Emergency Response Telephone Number : (800) 424-9300 CHEMTREC 24-Hour Emergency Response (Outside US & Canada) Telephone Number : (703) 527-3887

# **2 HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labeled according to the CLP regulation. Hazard pictograms



Signal word Warning

Hazard-determining components of labeling:Acid Modified Hydrogenated RosinOrganic acidHazard statementsH317 May cause an allergic skin reaction.Precautionary statementsP280Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

US



According to 1907/2006/EC, Article 31

Page 2/8

Printing Date 02/07/2017

Version number 1

Reviewed on 02/07/2017

Trade name: 275 Lead-free Alloy Solder Wire

(Contd. of page 1) P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P402 Store in a dry place. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard description: WHMIS Symbols D2B - Toxic material causing other toxic effects NFPA ratings (scale 0 - 4) Health = 0Fire = 0 $\mathbf{0}$ Reactivity = 0HMIS-ratings (scale 0 - 4) HEALTH 0 Health = 0FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0 2.3 Other hazards Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

# **3 COMPOSITION OF MIXTURE**

Description: Mixture of the substances listed below with nonhazardous additions.

CAS No.	Description	% Range
CAS: 7440-31-5 EINECS: 231-141-8	TIN (Sn)	85-100%
CAS: 7440-22-4 EINECS: 231-131-3	SILVER (Ag)	1.0-3.0%
	Acid Modified Hydrogenated Rosin	0.1-<1%
	Organic acid	0.1-<1%

# 4 FIRST AID MEASURES

4.1 Description of first aid measures

General information: Follow general first aid procedures.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)



According to 1907/2006/EC, Article 31

Printing Date 02/07/2017

Version number 1

Reviewed on 02/07/2017

Trade name: 275 Lead-free Alloy Solder Wire

(Contd. of page 2)

# **5 FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released:
- 5.3 Advice for firefighters

Protective equipment: No special measures required.

### 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **Protective Action Criteria for Chemicals**

PAC-1:		
CAS: 7440-31-5 T		6 mg/m3
CAS: 7440-22-4 S		0.3 mg/m3
CAS: 7440-50-8 C	OPPER (Cu)	3 mg/m3
PAC-2:		
CAS: 7440-31-5 T		67 mg/m3
CAS: 7440-22-4 S		170 mg/m3
CAS: 7440-50-8 C	OPPER (Cu)	33 mg/m3
PAC-3:		
CAS: 7440-31-5 T		400 mg/m3
CAS: 7440-22-4 S		990 mg/m3
CAS: 7440-50-8 C	OPPER (Cu)	200 mg/m3

# 7 HANDLING AND STORAGE

**7.1 Precautions for safe handling** No special measures required. **Information about protection against explosions and fires:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

# 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



# SAFETY DATA SHEET (SDS) According to 1907/2006/EC, Article 31

Page 4/8

Printing Date 02/07/2017

 $\bigcirc$ 

Version number 1

Reviewed on 02/07/2017

Trade name: 275 Lead-free Alloy Solder Wire

(Contd. of page 3)
<ul> <li>8.1 Control parameters</li> <li>Components with limit values that require monitoring at the workplace:</li> <li>The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.</li> <li>At this time, the other constituents have no known exposure limits.</li> </ul>
CAS: 7440-31-5 TIN (Sn)
PEL       Long-term value: 2 mg/m³         metal         REL       Long-term value: 2 mg/m³         TLV       Long-term value: 2 mg/m³         metal
CAS: 7440-22-4 SILVER (Ag)
PEL     Long-term value: 0.01 mg/m³       REL     Long-term value: 0.01 mg/m³       TLV     Long-term value: 0.1 mg/m³       metal: dust and fume
 Additional information:         PEL = Permissible Exposure Limit (OSHA)         TLV= Threshold Limit Value (ACGIH)         OSHA= Occupational Safety and Health Administration         ACGIH= American Conference of Governmental Industrial Hygienists
<ul> <li>8.2 Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:</li> <li>The usual precautionary measures for handling chemicals should be followed.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Breathing equipment:</li> <li>Not necessary if room is well-ventilated.</li> <li>Use suitable respiratory protective device in case of insufficient ventilation.</li> <li>Protection of hands:</li> </ul>
Protective gloves
Material of gloves: Nitrile rubber, NBR Natural rubber, NR Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection:
Safety glasses

- US



According to 1907/2006/EC, Article 31

Printing Date 02/07/2017

Version number 1

Page 5/8

Reviewed on 02/07/2017

Trade name: 275 Lead-free Alloy Solder Wire

#### (Contd. of page 4)

# 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic phys General Information Appearance: Form: Color: Odor:	sical and chemical properties Solid Silver grey Mild
pH-value:	Not applicable.
Change in condition Melting point/Melting range Boiling point/Boiling range:	
Flash point:	NA °C
Flammability (solid, gaseous)	: Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Vapor pressure:	Not applicable.
Density: Vapor density	Not determined. Not applicable.
Solubility in / Miscibility with Water:	Insoluble.
Solvent content: Organic solvents:	0.0 %
Solids content:	100.0 %

# **10 STABILITY AND REACTIVITY**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

# 11 TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity: Based on available data, the classification criteria are not met.

Rosin			
Oral	LD50	> 4000 mg/kg (Rat)	
Dermal	LD50	>2500 mg/kg (rabbit)	
			(Contd. on page 6)

(Contd. on page 6)



According to 1907/2006/EC, Article 31

Page 6/8

(Contd. of page 5)

Printing Date 02/07/2017

Version number 1

Reviewed on 02/07/2017

Trade name: 275 Lead-free Alloy Solder Wire

Primary irritant effect: on the skin: Based on available data, the classification criteria are not met. on the eye: Based on available data, the classification criteria are not met. Sensitization: May cause an allergic skin reaction. Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

**OSHA-Ca (Occupational Safety & Health Administration)** 

None of the ingredients is listed.

# 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic toxicity: No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

# **13 DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

# 14 TRANSPORT INFORMATION

14.1 UN-Number DOT, ADR, ADN, IMDG, IATA Not applicable 14.2 UN proper shipping name DOT, ADR, ADN, IMDG, IATA Not applicable 14.3 Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Not applicable Class 14.4 Packing group DOT, IMDG, IATA Not applicable 14.6 Special precautions for user Not applicable. 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 7)



According to 1907/2006/EC, Article 31

Printing Date 02/07/2017

Version number 1

Reviewed on 02/07/2017

Trade name: 275 Lead-free Alloy Solder Wire

**UN "Model Regulation":** 

Not applicable

# 15 REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

All ingredients are listed on the following Government Inventories:

China:	Inventory of Existing Chemical Substances in China (IECSC)
Korea:	Korea Existing Chemicals List (ECL)
Europe:	European Inventory of Existing Commercial Chemical Substances (EINECS)
Japan:	Inventory of Existing and New Chemical Substances (ENCS)
Philippines:	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
USA:	TSCA (Toxic Substances Control Act) TSCA Inventory of Chemical Substances

**USA** The following information relates to product regulation specific to the USA.

#### SARA (Superfund Amendments and Reauthorization Act)

#### Section 355 (extremely hazardous substances):

None of the ingredient is listed.

#### Section 313 (Specific toxic chemical listings):

CAS: 7440-22-4 SILVER (Ag)

CAS: 7440-50-8 COPPER (Cu)

#### Chemicals known to cause cancer:

None of the ingredients is listed.

#### Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

#### Carcinogenic categories

EPA (Environmental Protection Agency)	
CAS: 7440-22-4 SILVER (Ag)	D
CAS: 7440-50-8 COPPER (Cu)	D
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

#### CANADA:

Workplace Hazardous Materials Identification (WHMIS):

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR) and the Safety Data Sheet (SDS) contains all of the information required by the CPR.

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation. **Hazard pictograms** 



Signal word Warning

Hazard-determining components of labeling: Acid Modified Hydrogenated Rosin Organic acid

(Contd. on page 8)

US

Page 7/8

(Contd. of page 6)



According to 1907/2006/EC, Article 31

Printing Date 02/07/2017

Version number 1

Reviewed on 02/07/2017

(Contd. of page 7)

#### Trade name: 275 Lead-free Alloy Solder Wire

Hazard statements

H317 May cause an allergic skin reaction. **Precautionary statements** Wear protective gloves/protective clothing/eye protection/face protection. P280 P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P402 Store in a dry place.

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 OTHER INFORMATION**

The information contained herein is based on data considered accurate and is offered solely for information, consideration and investigation. Kester extends no warranties, makes no representations and assumes no responsibility as to the accuracy, completeness or suitability of this data for any purchaser's use. The data on this Material Safety Data Sheet relates only to this product and does not relate to use with any other material or in any process. All chemical products should be used only by, or under the direction of, technically qualified personnel who are aware of the hazards involved and the necessity for reasonable care in handling. Hazard communication regulations require that employees must be trained on how to use a Material Safety Data Sheet as a source for hazard information.

Department issuing Safety Data Sheet (SDS): Product Compliance / EHS Department Contact: EHS Kester@kester.com Date of preparation / last revision 02/07/2017 / -Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 \* Data compared to the previous version altered.