# **SAFETY DATA SHEET**

Issue Date 05-Jun-2018 Revision Date 05-Jun-2018 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

Product Name E-Z Klean Descaler

Product #: 110110

Details of the supplier of the safety data sheet

Company Name Belmont Equipment 32055 Edward Avenue

Madison Heights, MI 48071

(248) 588-7011

**Emergency telephone number** 

Emergency Telephone INFOTRAC (24hrs) 1-800-535-5053 (USA), 1-352-323-3500 (International)

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

# **Label elements**

# **Emergency Overview**

# **Danger**

#### **Hazard statements**

May be harmful if swallowed Causes severe skin burns and eye damage



Appearance Clear GreenPhysical state LiquidOdor Nil

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

SDS # 0041

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink plenty of water

Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations

#### <u>Hazards not otherwise classified (HNOC)</u> Other Information

· Toxic to aquatic life with long lasting effects

· Toxic to aquatic life

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Phosphoric Acid	7664-38-2	30-60	*
Nonylphenol Ethoxylate	9016-45-9	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures

**General advice** Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is

required.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

**Ingestion** Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

# Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

## 5. FIRE-FIGHTING MEASURES

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions** Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other

surface water bodies. Should not be released into the environment. Dispose of according to

all local city, state and federal rules and regulations.

## Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take

up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems. Always add acid to water.

E-Z Klean Descaler Revision Date 05-Jun-2018

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong

bases. Strong reducing agents. Metals.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric Acid	STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>
7664-38-2	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
		(vacated) STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Wear a face shield if splashing hazard exists.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

When using do not eat, drink or smoke. Keep away from food, drink and animal feeding **General Hygiene** 

stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable

gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear Green Color Green Odor

**Odor threshold** No Information available

Remarks • Method Property Values

None

pН <1 Specific Gravity 1.26

< 25 cP @ 25°C **Viscosity** Melting point/freezing point No Information available

Flash point

Boiling point / boiling range

99 °C / 210 ° F Degrees **Evaporation rate** No Information available

Flammability (solid, gas)

No data available

Flammability Limits in Air

Upper flammability limit:

Lower flammability limit:

Vapor pressure

Vapor density

No Information available

No Information available

No Information available

Water solubility Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

#### Other Information

Density Lbs/Gal 10.50

VOC Content (%) Not Applicable

# 10. STABILITY AND REACTIVITY

## Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Exposure to air or moisture over prolonged periods. Extremes of temperature and direct sunlight.

# **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong bases. Strong reducing agents. Metals.

# **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** The primary effects and toxicity of this material are due to it corrosive nature.

**Inhalation** Avoid breathing vapors or mists. Breathing of vapor can cause respiratory irritation and

inflammation. Breathing of mist or liquid can cause burns to the respiratory tract.

Eye contact Avoid contact with eyes. Corrosive. Causes severe eye damage.

**Skin Contact** Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.

Ingestion May be harmful if swallowed. Ingestion causes acute irritation and burns to the mucous

membranes of the mouth, trachea, esophagus and stomach.

		T	
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Phosphoric Acid	= 1530 mg/kg ( Rat )	= 2740 mg/kg ( Rabbit )	> 850 mg/m³ ( Rat ) 1 h
7664-38-2			
Nonylphenol Ethoxylate	= 2590 mg/kg (Rat) = 1310 mg/kg	= 1780 μL/kg ( Rabbit ) = 2 mL/kg (	-
9016-45-9	(Rat)	Rabbit )	

#### Information on toxicological effects

**Symptoms** No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

Sensitization

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target organ effects EYES, Respiratory system, Skin.

Aspiration hazard No Information available.

# Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 3,356.00

 ATEmix (dermal)
 5,887.00

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Phosphoric Acid	<del>-</del>	3 - 3.5:96 h Gambusia affinis mg/L	4.6: 12 h Daphnia magna mg/L
7664-38-2		LC50	EC50
Nonylphenol Ethoxylate 9016-45-9	<del>-</del>	5:96 h Fish mg/L LC50	-

#### Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Other adverse effects No Information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Phosphoric Acid	Corrosive
7664-38-2	

# 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please

refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

**UN/ID No.** UN1760

**Proper shipping name** Corrosive liquids, n.o.s.

Hazard Class 8
Packing Group III

Special Provisions IB3, T7, TP1, TP28

**Description** UN 1760, Corrosive liquids, n.o.s. (Phosphoric Acid), 8, III

Emergency Response Guide 15

Number

**TDG** 

**UN/ID No.** UN1760

**Proper shipping name** Corrosive liquids, n.o.s.

Hazard Class 8
Packing Group III

**Description** UN1760, Corrosive liquids, n.o.s. (contains Phosphoric Acid), 8, III

# 15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

# CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric Acid 7664-38-2	5000 lb	-	-	Х

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric Acid	5000 lb	-	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ

# **US State Regulations**

#### **California Proposition 65**

This product has been evaluated and does not require warning labeling under California Proposition 65.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric Acid	X	X	X
7664-38-2			

### **U.S. EPA Label Information**

#### **EPA Pesticide Registration Number** Not Applicable

# **16. OTHER INFORMATION**

**NFPA Health hazards** 3 Flammability 0 **Instability** 0 **Physical and Chemical** 

Properties -

**HMIS Health hazards** 3 Flammability 0 Personal protection C Physical hazards 0

**Issue Date** 05-Jun-2018 **Revision Date** 05-Jun-2018 **Revision Note** 

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**